

Homecreator.com.au

Measuring Guide – Bamboo & Jute Woven Roman Blinds

General Information

Recess Fitting: Blinds fitted inside the window architrave.



- . Suitable for outward opening window
- . Suitable for window recess over 40mm
- . Space saving and window clear
- . Highlight window architrave

Face Fitting: Blinds fitted on the window architrave or on the wall surrounding the window.



- . Suitable for inward opening window
- . Suitable for window recess less 40mm
- . Suitable for unsquared window
- . Better light blackout
- . Better privacy
- . Best for bedroom

Please use a metal measuring tape to take measurements with **millimetres**.

If Recess fitting please write down actual sizes you measured then **deduct 3mm** on width as finished width.

If Face fitting don't need to take any deduction.

When deciding whether to fit the blinds Recess fitting or Face fitting considering the following points

It will be necessary to fit the blinds **on window architrave** (Face fitting) if:

. The recess depth (D) is less than 40mm



. The window opens inwards



. The window is not straight (width or height varies by more than 20mm).

Important Note:

If recess fitting there will be a vertical minor light gap between the edge of blinds and window casing on either side. Better to fit blinds on the window architrave to reduce the edge light especially in bedroom.

When deciding Recess Fitting please check the window handle or winder around the window recess space.

Bamboo & Jute Woven Roman Blinds

Recess Fitting Measurement

The minimum window depth (D) required: 40mm





Step 1

- . Take 3 measurements for the width of the window recess from left to right at top, middle and bottom as shown in the picture.
- . Choose the smallest of these measurements as the recess width.
- . Please write down the **smallest width -3mm** as finished width.

Step 2

- . Take 3 measurements for the drop of the window recess from bottom to top at left, middle and right as shown in the picture.
- . Choose the smallest of these measurements as the recess drop.
- . Write down the **recess drop – 10-20mm** as finished drop.

Important Note:

Before completing the order, make sure there are no handle or window winder to interfere with fitting the blinds.

Stretching: The natural elasticity of yarns combined with the weight of the natural woven material may cause shades to stretch upwards to 10-20mm after installation. This is particularly noticeable on inside mount shades or shades fitted from ceiling to floor. This is considered a natural characteristic of the product and is not covered under warranty. Ordering the shade shorter than needed will help compensate for stretching over time, however the shade will be short when installed.

Face Fitting Measurement



Step 1

- . Take 3 measurements for the width of the window architrave from left to right at top, middle and bottom as shown in the picture.
- . Choose the biggest of these measurements as the outside width.
- . Write down the biggest width as finished width.

Step 2

- . Take 3 measurements for the drop of the window architrave from bottom to top at left, middle and right as shown in the picture.
- . Choose the biggest of these measurements as the outside drop.
- . Write down the drop as finished drop. Please **deduct – 10-20mm** if blinds fitted to floor.

Important Note:

Stretching: The natural elasticity of yarns combined with the weight of the natural woven material may cause shades to stretch upwards to 10-20mm after installation. This is particularly noticeable on inside mount shades or shades fitted from ceiling to floor. This is considered a natural characteristic of the product and is not covered under warranty. Ordering the shade shorter than needed will help compensate for stretching over time, however the shade will be short when installed.